

I. Adverse Childhood Experiences (ACEs) Studies

The adverse childhood experiences (ACE) studies show that trauma in childhood increases risk for chronic disease; ¹ fractures and injuries; depression, anxiety, PTSD and other mental health conditions; a greater risk of giving birth prematurely; and other life challenges.² These problems also affect future generations. A [Kaiser-CDC study](#) with over 17,000 participants identified this connection. Results have been reproduced in other studies with different populations ³ and a continuation of the original study with over [400,000 patients](#).

The key point from this body of research is that the effects of childhood trauma are not just psychological. Trauma alters brain development, function and structure; autonomic nervous system regulation; physiology, stress responses ⁴⁻⁶, and gene function (epigenetics) ⁷. The [American Academy of Pediatrics](#) has used this and other research to develop a new policy ⁴, [assessment tools](#), and a [trauma toolbox](#) for primary care. For more info: [WHO](#), [CDC](#) ⁸, [RWJ](#), [PBS](#) ⁹, [NPR](#) ¹⁰, [New York Times](#) ¹¹, [CBS 60 minutes](#), and news site [ACES Too High](#).

II. ACEs Increase Risk for Mental Illness, Major Causes of Death & More ^{2,12}

ACEs increase risk for major causes of death in adults including smoking, alcohol abuse (7X greater risk of abusing alcohol), use of illicit drugs (10X), suicide attempts (12X), promiscuity, obesity, physical inactivity. ACEs also increase:

- risk for chronic illness, cancer, fractures, heart / lung / thyroid / autoimmune (more on [website](#)) ¹
- ADHD & behavior problems in kids [23]; premature birth, greater challenges / difficulties in parenting
- anxiety, depression, PTSD, self-harm, suicide, low life satisfaction, poor academic achievement
- unintended pregnancy & paternity, intimate partner violence, increased number of marriages
- injuries, intentional and not ie motor vehicle accidents/shootings/stabbings ¹³ & criminality ¹⁴

III. ACE Score: 1 point per category experienced before 18 yo for max of 10 ²

The ACE questionnaire asks about exposure to 10 specific types of trauma from 0-18 years of age. Original Qs were drawn from areas in public health for which national programs were being developed in the 1990s. Other types of trauma also increase risk (accidents, unsafe neighborhood, etc). 1 point for any event per category.

- | | |
|--|---|
| 1 _ Physical abuse (Stats: 1 in 3.5 Americans) | 6 _ Loss of a parent from divorce or separation |
| 2 _ Sexual abuse (1 in 5) | 7 _ Violent treatment of mother (1 in 10) |
| 3 _ Emotional abuse (1 in 9) | 8 _ Member of household mental illness (1 in 5) |
| 4 _ Physical neglect | 9 _ Member of household jailed (1 in 30) |
| 5 _ Emotional neglect | 10 _ Member of household substance abuse (1 in 4) |

IV. ACE & Chronic Illness Facts & Stats

- 63% of population In U.S. has ACE score ≥ 1 ; 25% an ACE score of 2; 12.5% ACE ≥ 4 ² (see [CDC](#))
- Life expectancy Is 20 years shorter with ACE ≥ 6 ²; premature death 2x higher ACE ≥ 4 ¹⁵
- Dose response Risk goes up with more ACEs ²; age at symptom onset decreases ⁶
- Depression Severity increases in adolescents with increasing score from 0 to 3 points ⁶
- Violence Offenders have greater history of ACEs. Each point increases risk ^{14,16}
- Addictions Higher with ACEs regardless of drug availability, public opinion or spending ¹⁷
- Multigenerational Maternal ACE increase child's risk physical & emotional health conditions ^{4,18}
- Treatment When Drs ask about ACEs it validates, removes blame ^{19,20}, & offers [new tools](#)
- Book & How To ACEs Overview & how one medical Dr screens for ACEs: [The Deepest Well](#) ²¹
- Autoimmune disease 20% increased risk with each additional point in ACE score ¹; A [recovery story](#) ²²
- Hospitalizations $\geq 70\%$ higher for autoimmune disease with ACE of ≥ 2 vs ACE of 0 ¹

References

1. Dube SR, Fairweather D, Pearson WS, et al. Cumulative Childhood Stress and Autoimmune Diseases in Adults. *Psychosom Med* 2009;71(2):243-50.
2. Felitti VJ, Anda RF, Nordenberg D, et al. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The Adverse Childhood Experiences (ACE) Study [see comments]. *Am J Prev Med* 1998;14(4):245-58.
3. Hughes K, Bellis MA, Hardcastle KA, et al. The effect of multiple adverse childhood experiences on health: a systematic review and meta-analysis. *Lancet Public Health* 2017;2(8):e356-e66. doi: 10.1016/S2468-2667(17)30118-4
4. Shonkoff JP, Garner AS, Committee on Psychosocial Aspects of C, et al. The lifelong effects of early childhood adversity and toxic stress. *Pediatrics* 2012;129(1):e232-46. doi: 10.1542/peds.2011-2663
5. Garner AS, Shonkoff JP, Committee on Psychosocial Aspects of C, et al. Early childhood adversity, toxic stress, and the role of the pediatrician: translating developmental science into lifelong health. *Pediatrics* 2012;129(1):e224-31. doi: 10.1542/peds.2011-2662
6. Luby JL, Barch D, Whalen D, et al. Association Between Early Life Adversity and Risk for Poor Emotional and Physical Health in Adolescence: A Putative Mechanistic Neurodevelopmental Pathway. *JAMA Pediatr* 2017 doi: 10.1001/jamapediatrics.2017.3009
7. Romens SE, McDonald J, Svaren J, et al. Associations between early life stress and gene methylation in children. *Child Dev* 2015;86(1):303-9. doi: 10.1111/cdev.12270
8. CDC (Centers for Disease Control and Prevention). Adverse Childhood Experiences (ACEs) [website]. CDC; 2016 [CDC 24/7: Saving Lives, Protecting People:[Available from: <https://www.cdc.gov/violenceprevention/acestudy/> accessed Nov 2, 2016 2016.
9. Bouffard K. Why stress may be fueling the childhood asthma epidemic. Health (N Y). PBS.org: 1996-2016 PBSNewsHourproductions LLC, 2015.
10. Starecheski L. 10 Questions Some Doctors Are Afraid To Ask. National Public Radio: What Shapes Health. Washington, D.C.: National Public Radio (NPR), 2015:NPR Science Desk: Shots.
11. Bornstein D. Putting the Power of Self-Knowledge to Work (Part III of III). *The New York Times* 2016 August 23.
12. Bellis MA, Hughes K, Leckenby N, et al. Measuring mortality and the burden of adult disease associated with adverse childhood experiences in England: a national survey. *J Public Health (Oxf)* 2015;37(3):445-54. doi: 10.1093/pubmed/fdu065
13. Su S, Wang X, Pollock JS, et al. Adverse childhood experiences and blood pressure trajectories from childhood to young adulthood: the georgia stress and heart study. *Circulation* 2015;131(19):1674-81. doi: 10.1161/CIRCULATIONAHA.114.013104
14. Kajeepeta S, Gelaye B, Jackson CL, et al. Adverse childhood experiences are associated with adult sleep disorders: a systematic review. *Sleep Med* 2015;16(3):320-30. doi: 10.1016/j.sleep.2014.12.013
15. Dietert RR, Dietert JM. Possible role for early-life immune insult including developmental immunotoxicity in chronic fatigue syndrome (CFS) or myalgic encephalomyelitis (ME). *Toxicology* 2008;247(1):61-72. doi: 10.1016/j.tox.2008.01.022
16. Borsini A, Heggul N, Mondelli V, et al. Childhood stressors in the development of fatigue syndromes: a review of the past 20 years of research. *Psychol Med* 2013;44(9):1809-23. doi: 10.1017/S0033291713002468
17. Shaw MT, Pawlak NO, Frontario A, et al. Adverse Childhood Experiences Are Linked to Age of Onset and Reading Recognition in Multiple Sclerosis. *Front Neurol* 2017;8:242. doi: 10.3389/fneur.2017.00242
18. Madigan S, Wade M, Plamondon A, et al. Maternal Adverse Childhood Experience and Infant Health: Biomedical and Psychosocial Risks as Intermediary Mechanisms. *J Pediatr* 2017 doi: 10.1016/j.jpeds.2017.04.052
19. Felitti V, Anda R. Lifelong Effects of Child Maltreatment. In: Chadwick DL, Alexander RA, Giardino AP, et al., eds. *Chadwick's Child Maltreatment: Sexual Abuse and Psychological Maltreatment*. 4th ed. Saint Louis, MO: STM Learning, Inc, 2014:12.
20. Goldstein E, Athale N, Sciolla AF, et al. Patient Preferences for Discussing Childhood Trauma in Primary Care. *Perm J* 2017;21 doi: 10.7812/TPP/16-055
21. Burke Harris N. *The Deepest Well: Healing the Long-Term Effects of Childhood Adversity*: Houghton Mifflin Harcourt 2018.
22. Nakazawa DJ. *Childhood Disrupted: How Your Biography Becomes Your Biology, and How You Can Heal*. New York City: Atria Books 2015.
23. Hunt, T. K. A., et al. (2017). "Adverse childhood experiences and behavioral problems in middle childhood." *Child Abuse and Neglect* 67: 391-402.

Adverse Childhood Experience (ACE) Questionnaire

1. Did a parent or other adult in the household often or very often... Swear at you, insult you, put you down, or humiliate you? or Act in a way that made you afraid that you might be physically hurt?
No ___ If Yes, enter 1 ___
2. Did a parent or other adult in the household often or very often... Push, grab, slap, or throw something at you? or Ever hit you so hard that you had marks or were injured?
No ___ If Yes, enter 1 ___
3. Did an adult or person at least 5 years older than you ever... Touch or fondle you or have you touch their body in a sexual way? or Attempt or actually have oral, anal, or vaginal intercourse with you?
No ___ If Yes, enter 1 ___
4. Did you often or very often feel that ... No one in your family loved you or thought you were important or special? or Your family didn't look out for each other, feel close to each other, or support each other?
No ___ If Yes, enter 1 ___
5. Did you often or very often feel that ... You didn't have enough to eat, had to wear dirty clothes, and had no one to protect you? or Your parents were too drunk or high to take care of you or take you to the doctor if you needed it?
No ___ If Yes, enter 1 ___
6. Were your parents ever separated or divorced?
No ___ If Yes, enter 1 ___
7. Was your mother or stepmother: Often or very often pushed, grabbed, slapped, or had something thrown at her? or Sometimes, often, or very often kicked, bitten, hit with a fist, or hit with something hard? or Ever repeatedly hit over at least a few minutes or threatened with a gun or knife?
No ___ If Yes, enter 1 ___
8. Did you live with anyone who was a problem drinker or alcoholic, or who used street drugs?
No ___ If Yes, enter 1 ___
9. Was a household member depressed or mentally ill, or did a household member attempt suicide?
No ___ If Yes, enter 1 ___
10. Did a household member go to prison?
No ___ If Yes, enter 1 ___

Now add up your "Yes" answers: _____ This is your ACE Score

NOTE: In addition to the 10 specific types of trauma on the ACE questionnaire, other serious life events also increase risk for chronic illness, mental health conditions and other difficulties. Such events include the death of any close relative (when a parent, sibling or grandparent dies, for example, it affects a parent's experience and consequently their ability to be emotionally present and available to their children etc); abuse of any member of the household and not only the mother; and much more.

As [neurologist and traumatologist Dr. Robert Scaer](#) states, "any negative life event occurring in a state of relative helplessness--a car accident, the sudden death of a loved one, a frightening medical procedure, a significant experience of rejection--can produce the same neurophysiological changes in the brain as do combat, rape, or abuse. What makes a negative life event traumatizing isn't the life-threatening nature of the event, but rather the degree of helplessness it engenders and one's history of prior trauma.